

# ニコン

## AI-S ニッコール

### 45mm f/2.8P

スペシャルエディション超コンパクトニッコールレンズ



付属品  
HB-35フードと  
52mm NCフィルター

■ 特別なシルバー仕上げは、シルバーのFM3Aおよび他の選ばれた一眼レフカメラと一致します。同調のHB-35レンズフード、NCフィルター、前後のレンズキャップが含まれています。

■ 高性能なニコン・スーパー・インテグレートッドコーティングはフレアを抑えつつコントラストを高めます。

■ 情報交換用の内蔵CPU(P型ニッコール)は、レンズから露出計やフラッシュシステムへ情報を転送します。マニュアルフォーカス用途向けのクラシックなテッサー設計のアップデート。

■ CPU制御のニコン一眼レフ(Pタイプニッコール)の全露出モードおよびF3HP、FM3A、FM-10に対応しています。

■ 7枚羽根の円形絞りにより、より自然なボケ味を実現します。

数量限定

# Nikon®

## AI-S Nikkor 45mm f/2.8P

**Special Edition ultra-compact Nikkor lens**



*Included  
accessories  
HB-35 hood and  
52mm NC filter.*



- Special silver finish matches silver FM3A & other select SLR cameras. Includes matching HB-35 lens hood, NC filter, plus front & rear lens caps.
- High-performance Nikon Super Integrated Coating reduces flare while increasing contrast.
- Built-in CPU for information exchange (P-type Nikkor) transfers information from lens to light meter and flash systems. Updating of classic Tessar design for manual focus applications.
- Compatible with all exposure modes of CPU-controlled Nikon SLRs (P-type Nikkor) as well as F3HP, FM3A and FM-10.
- Seven bladed rounded diaphragm for more natural out of focus highlights.

*Limited availability*

# AI-S Nikkor 45mm f/2.8P *Specifications:*

<b>Focal length:</b>	45mm
<b>Maximum aperture:</b>	f/2.8
<b>Lens construction:</b>	4 elements in 3 groups
<b>Focus distance:</b>	1.5 ft. to infinity
<b>Maximum reproduction ratio:</b>	1/7.6
<b>No. of diaphragm blades:</b>	7 blades (rounded)
<b>Aperture scale:</b>	f/2.8 to f/22
<b>Minimum aperture lock:</b>	None
<b>Filter attachment size:</b>	52mm
<b>Hood:</b>	HB-35
<b>Included accessories:</b>	HB-35 lens hood, NC filter, plus front & rear lens caps
<b>Dimensions:</b>	Approx. 2.5 in. x 0.7 in.
<b>Weight:</b>	4.2 oz.
<b>Product number:</b>	1430

For more complete specifications and compatibility information, refer to the Nikkor Lenses brochure and/or the AI-S Nikkor 45mm f/2.8P instruction manual. Specifications and design are subject to change without any notice or obligation on the part of the manufacturer.

© 2001 Nikon Inc.



1300 Walt Whitman Road, Melville, NY 11747

[www.nikonusa.com](http://www.nikonusa.com) / 1-800-Nikon-US